



CLEANING & MAINTENANCE

CLEANING & MAINTENANCE

Vacuum Head

177

Handles and suction hose

177

Test Kit

178

Brush & Leaf Net

180

Automatic Suction Cleaner

181





VACUUM HEAD WITH SIDE BRUSH

FLEXO flexible vacuum head with side-brushes made in blue and white polyethylene, clip and nut type. This model features a hose connection.

Code	Description	Kg	m ³	U
00961011	FLEXO Vacuum Head- Clip Type	1.5	0.008	x1
00961012	FLEXO Vacuum Head- Nut Type	1.5	0.008	x1



FLEXIBLE VACUUM HEAD

FLEXO flexible vacuum head made in blue and white polyethylene, clip and nut type. This model features a hose connection.

Code	Description	Kg	m ³	U
00961613	FLEXO Vacuum Head- Clip Type	1.5	0.008	x1
00961014	FLEXO Vacuum Head- Nut Type	1.5	0.008	x1



FLEXIBLE VACUUM WITH SS HANDLE

FLEXO flexible vacuum head made in blue and white polyethylene. Handle made in ss, clip and nut type. This model features a hose connection.

Code	Description	Kg	m ³	U
00961013	FLEXO Vacuum Head- Clip Type	1.5	0.008	x1
00961115	FLEXO Vacuum Head- Nut Type	1.5	0.008	x1



TRIANGULAR VACUUM HEAD

Transparent Triangular shaped vacuum head, with brushes, clip and nut type. This model features a hose connection.

Code	Description	Kg	m ³	U
00961015	Triangular Vacuum Head- Clip Type	1.0	0.007	x1
00961016	Triangular Vacuum Head- Nut Type	1.0	0.007	x1



ALUMINIUM VACUUM HEAD

Vacuum head with wheels, anodised aluminium - clip and nut type. This model features a hose connection.

Code	Description	Kg	m ³	U
00961018	Aluminium Vacuum Head- Clip 350mm	3.0	0.04	x1
00961020	Aluminium Vacuum Head- Clip 450mm	5.0	0.05	x1
00961019	Aluminium Vacuum Head- Nut 350mm	3.0	0.04	x1
00961023	Aluminium Vacuum Head- Nut 450mm	5.0	0.05	x1



VACUUM LONG HEAD WITH SS HANDLE

FLEXO flexible vacuum head made in black and white polyethylene. Handle made in ss, clip and nut type. This model features a hose connection.

Code	Description	Kg	m ³	U
00961021	FLEXO Vacuum Head- Black Clip Type	4.0	0.06	x1
00961022	FLEXO Vacuum Head- Black Nut Type	4.0	0.06	x1





TEL ESCOPIC HANDLE

2-section telescopic aluminium handle with easy lock device.

Code	Description	Kg	m ³	U
00971011	Handle 1.2-2.4m - Clip Type	0.6	0.003	x1
00971012	Handle 1.2-2.4m - Nut Type	0.6	0.003	x1
00971013	Handle 2.4-4.8m - Clip Type	1.1	0.004	x1
00971014	Handle 2.4-4.8m - Nut Type	1.1	0.004	x1
00971015	Handle 3.6-7.2m - Clip Type	4.0	0.010	x1
00971016	Handle 3.6-7.2m - Nut Type	4.0	0.010	x1



FLOATING SUCTION HOSE DOUBLE LAYERED

Double layered Blue plastic hose including connecting cuffs 40mm dia

Code	Description	Kg	m ³	U
00962011	10m Length	3.0	0.192	x1
00962012	12m Length	4.5	0.192	x1
00962013	15m Length	5.6	0.192	x1
00962014	18m Length	7.0	0.192	x1
00962015	30m Length	12.0	0.192	x1



FLOATING CHLORINE DISPENSER

Code	Description	Kg	m ³	U
00190101	Chlorine dispenser 600 gm	0.100	0.003	x1



FLOATING CHLORINE DISPENSER WITH THERMOMETER

Code	Description	Kg	m ³	U
00196133	Chlorine dispenser 600 gm	0.100	0.003	x1



CIRCULAR THERMOMETER

Code	Description	Kg	m ³	U
00961511	Circular Thermometer	0.100	0.003	x1



THERMOMETER WITH TOY

Code	Description	Kg	m ³	U
00965010	Thermometer with toy	0.100	0.003	x1





PH AND OTO SOLUTION

Code	Description	ml	m ³	U
00965015	PH Solution	250ml	0.003	x1
00965016	OTO Solution	250ml	0.003	x1

5-WAY TEST KIT

Chlorine Bromine PH total alkalinity Acid demand test

Code	Description	Kg	m ³	U
00965012	5Way Test Kit	0.100	0.003	x1



DPD / PHENOL RED TABLET

Code	Description	Kg	m ³	U
00965113	DPD Phenol Red Tablet	0.100	0.003	x1



DPD TEST KIT

Code	Description	Kg	m ³	U
00965114	DPD Red Phenol Tablet with test kit	0.050	0.003	x1



TEST KIT

Compact test kit with chlorin PH solution for testing free chlorine or bromine (in ppm) and pH. Supplied in a robust ABS plastic pack.

Code	Description	Kg	U
00965012	Complete test pack	0.2	x1
00965013	Solution - CL and pH 20ml	0.21	x1





DIGITAL TEST KIT PHOTOMETER MD200 LOVI BOND

The unit measures Bromine, Free and Total Chlorine, Cyanuric Acid, Iron, Iodine and pH content in water and wastewater samples. The reagents are in powder and liquid form depending on the parameter and they are supplied in dropper bottles and blister packs. This multiparameter photometer can save time and money. If you need a simple, but professional meter measuring the most important constituents of water, especially in pools and spas, then HI96101 has been designed for you. The meter uses an exclusive positive-locking system to ensure that the cuvette is in the same place every time it is placed into the measurement cell.

Code	Description	Kg	U
00965011	DIGITAL TEST KIT	5.0	x1

Range	Bromine	0.00 to 8.00 mg/L (ppm)
	Cl, Free	0.00 to 5.00 mg/L (ppm)
	Cl, Total	0.00 to 5.00 mg/L (ppm)
	CYA	0 to 80 mg/L (ppm)
	Iodine	0.0 to 12.5 mg/L (ppm)
	Iron LR	0.00 to 1.60 mg/L (ppm)
	pH	6.5 to 8.5 pH
Resoulution	Bromine	0.01 mg/L (ppm)
	Chlorine	0.01 mg/L under 3.50 mg/L; 0.10 mg/L above 3.50mg/L
	CYA	1 mg/L (ppm)
	Iron LR	0.02 mg/L
	pH	0.1 pH
Accuracy @25°	Bromine	+0.08 mg/L +3% of reading
	Chlorine	+0.03 mg/L +3% of reading
	CYA	+1 mg/L+15% of reading
	Iodine	+0.1 mg/L + 5% of reading
	Iron LR	+0.01 mg/L +8% of reading
	pH	+0.1 pH
Light Source	tungsten lamp	
Light Detector	Silicon photocell with narrow band interference filter @ 525 nm	
Power Supply	9V battery	
Auto-off	After ten minutes of non-use in measurement mode; after one hour of non-use in calibration mode; with last reading reminder	
Dimensions	192 x 102 x 67 mm (7.6 x 4.2 x 2.6")	
Weight	290 g (10.6 oz.)	
Method	Bromine adaptation of the EPA, DPD method	
Chlorine	Adaptation of the USEPA method and Standard Method 4500-Cl G	
CYA	adaptation of the turbidimetric method	
Iodine	adaptation of the EPA, DPD method	
Iron LR	adaptation of the TPTZ method	
pH	Phenol Red method	
Environment	0 to 50°C (32 to 122°F); RH max 95% non-condensing	





STRAIGHT BRUSH

Straight Deluxe model brush 250 mm - Clip and nut type.

Code	Description	Kg	U
00963111	STRAIGHT 250mm - Clip Type	0.25	x1
00963112	STRAIGHT 250mm - Nut Type	0.25	x1



CURVED BRUSH

Curved model brush 450 mm - Clip and nut type.

Curved model brush with reinforced aluminium support also available.

Code	Description	Kg	U
00963013	CURVED 450mm - Clip Type	0.80	x1
00963014	CURVED 450mm - SS Back clip type	0.80	x1
00963114	CURVED 450mm - Nut Type	0.80	x1
00963113	CURVED 450mm - SS Back Nut type	0.80	x1



ALGAE BRUSH

Algae model brush 250 mm. Stainless Steel bristles - Clip and nut type.

Code	Description	Kg	U
00963015	ALGAE 250mm - Clip Type	2.2	x1
00963016	ALGAE 250mm - Nut Type	2.2	x1

LEAF NET - ALUMINIUM

Leaf Net Flat - large surface model.

With Aluminium Frame and Polyester blue net - Clip and nut type.

Code	Description	Kg	U
00964011	Leaf Net Aluminium - Clip Type	1.5	x1
00964012	Leaf Net Aluminium - Nut Type	1.5	x1



LEAF NET - SURFACE

Leaf Net Surface model. Manufactured in blue Polypropylene.

The Polyester net is welded to the leaf net frame - clip and nut type.

Code	Description	Kg	U
00964013	Leaf Net Surface - Clip Type	1.5	x1
00964014	Leaf Net Surface - Nut Type	1.5	x1



LEAF NET - DEEP

Leaf Net Deep model. Manufactured in blue Polypropylene.

The Polyester net is welded to the leaf net frame - clip and nut type.

Longer design increases collection along the pool surface.

Code	Description	Kg	U
00964015	Leaf Net Deep - Clip Type	1.5	x1
00964016	Leaf Net Deep - Nut Type	1.5	x1





CLARO SWEEP - AUTOMATIC SWIMMING POOL CLEANER

Claro sweep automatic pool cleaner is designed to meet the most demanding application, to deliver efficient and safe handling operation. Claro sweep is supplied with trolley, fitted with the control panel to operate the unit when submerged. Claro sweep control panel is mounted on handle to avoid delicate hardware get directly in touch with the pool water. The operator will give minimum maintenance requirements of the Crystal Sweep unit.

Input voltage	AC100V-240V
Frequency	50Hz/60Hz
Output Voltage	D C24V
Power	600W
Working current	(DC24V)
Working mode	Manual and Auto 5h/3h
Cable length	20m
Cleaning band width	358mm
Maximum area of pool	200m ²
Filtering	13m ³ /h
Filtering capability	100my
Operating temperature scope	10-40°C
Creeping speed	12m/min



Code	Description	Kg	m ³	U
00960010	Claro sweep pool cleaner	14.5	0.195	x1



SAMBA - AUTOMATIC SWIMMING POOL CLEANER

Automatic pool vacuum cleaner.

Very simple to operate.

Connect to pool vacuum point or skimmer suction and it starts cleaning the pool.

It can be adopted to flat-bottomed or sloped pools and can be used in above ground pools.

It works by suction with no need of electricity using the existing filtration system (minimum 4m³/h).

It is supplied with a 10m special hose for greater efficiency.

It is a cleaner as well as a mobile main drain.

Code	Description	Kg	m ³	U
00960012	Samba pool cleaner	8.0	0.061	x1





ROBOTIC POOL CLEANER S 300i

Dolphin S 300i is the smart solution for thoroughly cleaning any pool, in any conditions. It learns the best way to navigate, intelligently adapting to the pool shape and obstacles for maximum performance and efficiency.

FEATURES

- Top-access filtration system – with quick, no-mess emptying and washing
- Lightweight, easy handling
- Fast, debris-free water release
- User-friendly smartphone MyDolphin™ app for convenience and control.
- Crystal-clear cleaning results.
- Multi-layer filtration with fine and ultra-fine dirt capture
- Active brushing action scrubs away algae and bacteria
- Complete coverage of all pool surfaces – with Power stream mobility system
- Mobility system Peace of mind
- Proven reliability – made by Maytronics, the leader in robotic pool cleaners
- Designed with the safest electrical components in the industry
- Rapid service and repair



Multi-Layer Filter
highly efficient clog-free filtration



Active brushing
effective scrubbing and cleaning



Multi-Function Energy-Saver
Power Supply with cleaning programs
and delay operation



MyDolphin™ App Control for convenient
cleaning program set-up and operation
control with manual navigation option

S 300i Product Specification	
Ideal Pool length	Up to 12m
Cycle Time	1.5/2/2.5 hours
Filtration	Multi-layer filter simultaneously separates and filters rough, fine and ultra-fine dirt - for high efficient, clog-free filtration, Snaps apart for easiest cleaning
Brushing	Active brush for effective scrubbing and cleaning
Power stream	Enhanced navigation on floor, walls and waterline
Mobility system	Constant grip on all pool surface in any pool conditions
Cable length	18m
Weight	7.5 kg
Smart phone MyDolphin App Control	My Dolphin app for cleaning programs setup and Control - weekly timer, cycle selector, operation delay, manual navigation and registration
Caddy	For easy portability and storage



PowerStream Mobility System
enhanced navigation
and pool coverage



Fast Fix, easy repair





DOLPHIN SUPREME M5

Recommended for pools up to 12 m (40 Ft) in length. Cleans pool floor and wall. Maytronics is proud to introduce the new generation in robotic pool cleaners. The dolphin supreme M5 is a significant step up in robotics pool cleaner technology based on Maytronics many years of experience. Dolphin supreme's unique innovative features take all the hard work out of pool cleaning, while providing reliable cleaning results every time.

DOLPHIN SUPREME M5 FEATURES AND BENEFITS

Wireless remote control enables automatic and manual operation - easily set parameters including Cycle time, Regular and Ultraclean, climbing and nonclimbing. Delay mechanism enables cleaning cycle to be scheduled for any hour of the day and night. Brushes, scrubs, vacuums and filters the entire pool including floors, walls and water line. Patented pending top opening filtration compartments for easy and convenient maintenance. Patented pending Multi Filtration System (MFS) Ultra fine disposable and spring cleaning. One way water valves prevent the escape of debris and ensure rapid water drainage. Cable Swivel prevents cable tangling. Clogged filter bag indicator ensures ongoing cleaning efficiency. Dual Motor for optimal pool maneuverability and coverage regardless of shape, slope and obstacles. Automatic motor protection mechanism. Low motor voltage so low energy consumption. DIY-Easy maintenance at user and dealer level. Suitable for beach entry pools.

DOLPHIN SUPREME M5 SPECIFICATION

Cycle Time	1.5, 2.5, 3.5 Hours
Cable Length	20 m (789 ft)
Filter Bag porosity	Fine Micronic filtration
Suction rate	17m ³ /hr
Motor unit Voltage	24 VDC
Power supply	Digital " Switch Mode "
	100-240V
	IP 54
	Output less than 30



Filtration Option of 3 types



Scanning



Top Access



Indicator on Power Supply





Active Brushing



Clever clean scanning system



Remote Control Unit



Gyroscopic Scanning System



Water Line Cleaning



Filter indicator on power Supply



Swivel prevents cable twisting



Dual level filtration options

DOLPHIN DYNAMIC PROX 2 GYRO

Heavy duty, professional cleaner for pools up to 15m - 25m in length. The best value for money in commercial pool cleaning

DOLPHIN PROX 2 GYRO

Highly efficient fully automated cleaning for hotel, campground and school pools. The advanced gyroscopic system ensures accurate scanning for systematic coverage of floor, walls and water lines. High capacity, ultra fine filtration captures all dirt, dust and other debris, leaving clean and hygienic water throughout the cleaning cycle. Gain heavy duty cleaning performance, with robust reliability for long term, cost effective operation. Dolphin commercial robotic cleaners from Maytronics are the proven, professional pools, getting the best value for money. Advanced technologies ensure comprehensive scanning of the entire pool and highly effective brushing and filtering throughout the cleaning cycle. With fully automated operation, your staff can focus on the other tasks and your pool water is left sparkling clear and hygienic after every cleaning cycle.

TOTAL POOL CLEANING

Unique gyroscopic system delivers accurate and effective scanning for systemic cleaning along the entire pool. Clever Clean scanning system ensures complete pool coverage and cleaning.

MAXIMUM HYGIENE

Active brushing effectively removes algae and bacteria, enhancing water quality

Advanced, high capacity filtration

Dual - level filtration systems leaves the water clear and free of hair, dust, insects and other debris.

SPECIFICATIONS

Cycle time	4/6/8 hours
Cable	30m
Swivel on Cable	Prevents cable tangling
Filtration	Dual level filtration for fine and rough dirt
Brushed - Combined brush	Matches all pool terrains
Remote Control	Set parameter and cleaning programs
Weight	12 kg
Suction Rate	17m ³ /hr
Moving Speed	15 m per min
Cleaning Area	225 m ² per hour
Motor unit voltage	27 VDC
Powers supply	IP 54, Full filter bag indicator, operation delay
	Easy maintenance, repairable at dealer level included
Caddy	12 Months on all parts
Warranty	





DOLPHIN WAVE 100

Heavy duty, professional cleane for pools 25 m in length. The best value for money in commercial pool cleaning

DOLPHIN WAVE 100

Highly effecient fully automated cleaning for hotel, campground and school pools. The advanced gyroscopic system ensures accurate scanning for systematic coverage of floor, walls and water lines. High capacity, ultra fine filtration captures all dirt, dust and other debris, leaving clean and hygienic water throughout the cleaning cycle.

Gain heavy duty cleaning performance, with robust reliability for long term, cost effective operation. Dolphin commercial robotic cleaners from Maytronics are the proven, professional pools, getting the best value for money. Advanced technologies ensure comprehensive scanning of the entire pool and highly effective brushing and filtering throughout the cleaning cycle. With fully automated operation, your staff can focus on the other fasks and your pool water is lefty sparkling clear and hygienic after every cleaning cycle.

TOTAL POOL CLEANING

Unique gyroscopic system delivers accurate and effective scanning for systemic cleaning along the entire pool. Clever Clean scanning system ensures complete pool coverage and cleaning.

MAXIMUM HYGIENE

Active brushing effectively removes algae and bacteria, enhancing water quality

Advanced, high capacity 3 levels filtration options

3 filtration options: Fine, Ultra fine and disposable for all pool condition and seasons. 20% extra filtration capacity, leaves the pool water clean and free of hair, dust, insects and other debris.

USER - FRIENDLY

Fully automated, plug & play operation Remote control, with operational parameters and operation delay to suit every pool conditions and requirements, ensures easy use and maintenance.

Caddy for handling and storage.

SPECIFICATIONS

Cycle time	4/6/8 hours
Cable	30m
Swivel on Cable	Prevents cable tangling
Filtration	3 filtration options for all types of dirt and debris
Brushed - Combined brush	Matches all pool terrains
Remote Control	Set-up parameter and cleaning programs
Weight	12 kg
Suction Rate	17m ³ /hr
Moving Speed	15 m per min
Cleaning Area	225 m ² per hour
Motor unit voltage	27 VDC
Powers supply	IP 54, Full filter bag indicator, operation delay
DIY	easy maintenance repairable at dealer level
Caddy	included
Warranty	12 Months on all parts



Water Line Cleaning



Full filter and operation delay indicators



Swivel prevents cable twisting



3 Filtration options



Through brushing



Clever clean scanning system



Remote control unit



Gyroscopic Scanning System





DOLPHIN - THE TRUSTED NAME FOR COMMERCIAL POOL CLEANERS

Gain top of the line, professional pool cleaning performance that meets the challenging requirement of the biggest and busiest pools. Dolphin WAVE 300 XL, from Maytronics, is the ideal pool robotic system for large commercial pool and Olympic centers, water parks and other sites with pool 25-60 m in length. Designed for long lasting reliability with daily operation, Dolphin WAVE 300 XL excels at heavy duty dirt collection and delivers the best end to end cleaning performance in its class. It works effectively and effectively and efficiently in any large pool, regardless of shape or type, including beach entry pool and pools with sharply sloping floors.

DOLPHIN WAVE 300 XL KEY FEATURES & ADVANTAGES.

- Optimized water suction flow ensures efficient dirt collection, leaving perfectly clear path.
- Multiple scanning modes for optimized pool coverage
- Lane by Lane by mode (Line to the left/line to the right) - ideal for standard rectangular pools
- Boxes Mode - Optimal for shaped pool; works with advanced obstacle escape mechanism for efficient, interruption free operation in the pool with island and large obstacles.
- Advanced navigation system with high accurate gyro and compass that together ensure complete pool
- Coverage even in irregularly shaped pools with obstacles, regardless of the frequency of interferences.
- Dual active brushing system, with four small additional brushes dedicated to brushing along pool's
- Wall sides and corners, completely removes all algae and bacteria.
- Crystalline clear filtration system with top access for easy convenient maintenance and cleaning Simple and user friendly triple - level filtration options for optimal dirt collection and water purification in all pool conditions.
- Fine filter bags efficiently trap day to day dirt.
- Ultra - fine filter bags collect fine dust.
- Wide mesh filter net catches leaves and rough debris.
- MMI - interactive digital interface panel - with full bag indicator, operation delay, modes or operation.
- Remote control for manual maneuvering.
- Simple installation and quick start mode for daily operation.
- Full warranty on all parts for 24 months or 3000 hours, whichever comes first.
- Extended warranty up to 5 years and maintenance package.
- Onsite training program conducted by Maytronics product expert.

DOLPHIN WAVE 300 XL SPECIFICATION

Cycle time	1-8 hours
Cable	45m
Weight	25kg
Suction	40 m ³ hr
Linear Speed	15 m per minute
Filtration	Triple level pool filtration option for fine and rough dirt
Brushes	Dual Active - Brushes and 4 side brushes for intensive cleaning, cleaning for all pool terrains
MMI	Interactive digital interface selectable cleaning modes online technical diagnostics XL navigation system Accurate gyro and compass system and scanning modes
Warranty	24 months or 3000 hours which ever comes first



Complete Pool Scanning



Gyro XL Scanning



Triple- Filtration Porosity options



Top Access



MMI - Interactive Digital Interface



