



POOL SURROUND EQUIPMENTS

POOL SURROUND EQUIPMENTS



Ladders

Above Ground Ladders

72

Grab Rails

75

Ladder Accessories

76

Handrails

78

Life Saving Accessories

80

Life Guard Chair

81

Pool Slides

82

Diving Board

83

Portable Pool Lift

84

Over Flow Grating

87

Pool Tiles

90

Natural Stones for Pool

91

93



STANDARD LADDER

Handrails in polished Stainless steel (Ø 43 mm) tube. Steps in Stainless Steel with anti-slip security. Complete with anchors and earthing accessories.



Standard Step




Deluxe Step



Deluxe SS316

Steps	Code	Code	Code	D	Kg	m ³
2	00701020	00701021	00701022	696	10.0	0.06
3	00701030	00701031	00701033	946	11.8	0.07
4	00701040	00701041	00701044	1196	13.2	0.08
5	00701050	00701051	00701055	1446	14.0	0.09



MIXED LADDER



Standard Step




Deluxe Step



Deluxe SS316

Steps	Code	Code	Code	D	Kg	m ³
2	00712022	00713022	00714022	696	10.0	0.06
3	00712033	00713033	00714033	946	11.8	0.07
4	00712044	00713044	00714044	1196	13.2	0.08
5	00712055	00713055	00714055	1446	14.0	0.09



MURO LADDER



Standard Step




Deluxe Step



Deluxe SS316

Steps	Code	Code	Code	D	Kg	m ³
2	00705022	00705122	00705222	696	10.0	0.06
3	00705033	00705133	00705233	946	11.8	0.07
4	00705044	00705144	00705244	1196	13.2	0.08
5	00705055	00705155	00705255	1446	14.0	0.09



OVERFLOW LADDER




Deluxe Step



Deluxe SS316

Steps	Code	Code	D	Kg	m ³
2	00715220	00715222	696	10.0	0.11
3	00715230	00715233	946	12.0	0.14
4	00715240	00715244	1196	14.0	0.18
5	00715250	00715255	1446	15.0	0.21



SPECIAL OVERFLOW

Handrails in polished Stainless steel Ø 43mm tube. Steps in Stainless Steel with anti-slip security. Complete with anchors and earthing accessories.



Deluxe SS316 Double safety tread

Steps	Code	a	Kg	m ³
2	00715322	696	10.0	0.11
3	00715333	946	12.0	0.14
4	00715344	1196	14.0	0.18
5	00715355	1446	15.0	0.21

ASYMMETRIC STANDARD



Deluxe Step

Steps	Code	d	Kg	m ³
2	00715422	696	11.8	0.07
3	00715433	946	13.2	0.08
4	00715444	1196	14.0	0.09
5	00715455	1446	15.0	0.10

EASY ACCESS



Deluxe Double safety tread





Steps	Code	d	e	Kg	m ³
3	00715533	1005	511	16	0.19
4	00715544	1225	630	17	0.24

WALL ANCHOR WITH FLANGE



Standard Step

Steps	Code	d	Kg	m ³
2	00715622	946	11.8	0.07
3	00715633	1196	13.2	0.08





SPLIT LADDER - TWO PIECES

Handrails in polished Stainless steel Ø43mm tube. Steps in Stainless Steel with anti-slip security. Complete with anchors and earthing accessories.



Standard Step




Deluxe Step



Deluxe SS316

Steps	Code	Code	Code	D	Kg	m ³
2	00715722	00715822	00715922	515	21.5	0.08
3	00715733	00715833	00715933	765	22.5	0.08
4	00715744	00715844	00715944	1015	23.5	0.08
5	00715755	00705855	00715955	1265	24.5	0.08



LOWER PART OF SPLIT LADDER - TWO PIECES



Standard Step




Deluxe Step



Deluxe SS316

Steps	Code	Code	Code	D	Kg	m ³
2	00716022	00716122	00716222	515	14.5	0.08
3	00716033	00716133	00716233	765	15.5	0.08
4	00716044	00716144	00716244	1015	16.5	0.08
5	00716055	00716155	00716255	1265	17.5	0.08




ARTICULATED LADDER TO PUT IN HORIZONTAL POSITION



Standard Step

Steps	Code	d	Kg	m ³
2	00716333	946	12.7	0.07
3	00716344	1196	14.1	0.08




TWO - PART LADDER FOR EASY ACCESS



Deluxe Double safety tread

Steps	Code	a	Kg	m ³
2	00716433	865	16.0	0.08
3	00716444	1085	18.0	0.08



POOL SURROUNDED EQUIPMENTS


Above Ground Ladders



ABOVE GROUND LADDERS

Proteam Europa Stainless steel with plastic steps. Handrails in polished stainless steel AISI 316, Ø 43mm tube. Complete with anchor and accessories.


Code	Steps	b	c	d	Kg	m ³
00716530	3-3	1670	1065	1175	20	0.11
00716531	4-4	1900	1295	1350	22	0.13
00716532	5-5	2130	1525	1545	25	0.17



SEMI-ELEVATED ABOVE GROUND

Proteam Europa Stainless steel with plastic steps. Handrails in polished stainless steel AISI 316, Ø 43mm tube. Complete with anchor and accessories.


Code	Steps	b	c	d	Kg	m ³
00716533	1-3	1065	460	1670	17.0	0.10
00716534	1-4	1295	690	1900	18.0	0.10
00716535	1-5	1525	920	2130	19.0	0.10
00716536	2-4	1295	460	1900	19.0	0.10
00716537	3-5	1525	460	1230	21.0	0.10



ACCESS LADDER FOR DISABLED PERSONS

Proteam Europa Stainless steel with plastic steps. Handrails in polished stainless steel AISI 316, Ø 43mm dia tube. Complete with anchor and accessories.

Code	Steps	a	b	Kg	m ³
00716538	5	1100-1340	1600	59	0.261
00716539	6	1350-1590	1850	67	0.315
00716540	7	1600-1800	2100	75	0.315






GRAB RAILS

Made in polished SS AISI 316 Ø43mm tube.

- For embedding
- With flanges including fixing plates, gaskets, screws and raw plugs


GRAB RAILS - 2 BEND SS AISI 316

Code	a	b	Kg	m ³
Embedding				
00716812	1219	660	4.0	0.14
00716815	1524	915	4.5	0.16
00716818	1829	1169	4.9	0.25
Welded Flange				
00716912	1219	660	4.5	0.23
00716915	1524	915	4.9	0.26
00716918	1829	1169	5.4	0.34




GRAB RAILS - 3 BEND SS AISI 316

Code	a	b	Kg	m ³
Embedding				
00717012	1219	660	4.0	0.16
00717015	1524	915	4.5	0.18
00717018	1829	1169	4.9	0.27
Welded Flange				
00717112	1219	660	4.5	0.25
00717115	1524	915	5.0	0.28
00717118	1829	1169	5.5	0.36



BASE PLATE MODEL SS AISI 316

Code	Kg	m ³
00717211	4.0	0.043




GRAB RAIL STANDARD SS AISI 316

Made in polished SS AISI 316 Ø43mm tube.

- For embedding
- With flanges including fixing plates, gaskets, screws and raw plugs

Code	Kg	m ³
Embedding		
00717212	3.3	0.03
Welded Flange		
00717213	3.6	0.03






GRAB RAIL OUT OF WATER / 4-BEND SS AISI 316

Made in Posihed SS AISI 316 Ø43mm tube.

- For embedding
- With flanges - including fixing plates, gaskets, screws and raw plugs





Code	Kg	m ³
Embedding		
00717214	4.5	0.05
Welded Flange		
00717215	4.8	0.05



GRAB RAIL OUT OF WATER EXTENDED / 4-BEND SS AISI 316

Code	Kg	m ³
Embedding		
00716008	5.1	0.05
Welded Flange		
00717008	5.4	0.05




TWO PIECES GRAB RAIL SET STANDARD

Made in Posihed SS AISI 316 Ø43mm tube.

- Exit Grab Rails supplied as a pair:
- With flanges - including fixing plates, gaskets, screws and raw plugs

Code	Kg	m ³
00717216	7.0	0.08




TWO PIECES GRAB RAIL SET PARALLEL

Made in Posihed SS AISI 316 Ø43mm tube.

- Exit Grab Rails supplied as a pair:
- With flanges - including fixing plates, gaskets, screws and raw plugs

Code	Kg	m ³
00717217	7.0	0.138




TWO PIECES GRAB RAIL SET ASYMMETRICAL

Made in Posihed SS AISI 316 Ø43mm tube.

- Exit Grab Rails supplied as a pair:
- With flanges - including fixing plates, gaskets, screws and raw plugs

Code	Kg	m ³
00717218	7.0	0.138





STANDARD TREAD SS AISI 316

Code	Width	Kg	m ³	U
00717200	75mm	0.62	0.08	x1



DELUXE TREAD SS AISI 316

Code	Width	Kg	m ³	AISI	U
00717201	75mm	0.62	0.011	304	x1
00717202	75mm	0.62	0.011	316	x1



DELUXE DOUBLE SAFETY TREAD SS AISI 316

Code	Width	Kg	m ³	AISI	U
00717203	230mm	1.65	0.0075	304	x1
00717204	230mm	1.65	0.0075	316	x1
00717205	230mm	1.65	0.0075	304	x1
00717206	230mm	1.65	0.0075	316	xx1



PLASTIC TREAD FOR ELEVATED LADDER SS AISI 316

Code	Kg	m ³	U
00717207	0.3	0.011	x1



SCREWS FOR TREADS SS AISI 316

Code	Kg	m ³	AISI	M	U
00717208	0.01	0.0001	304	M8	x10
00717209	0.01	0.0001	316	M8	x10



ANCHOR SOCKET

Code	Kg	m ³	U
00717210	0.280	0.0003	x2



ANCHOR WITH FLANGE SS AISI 316

Code	Kg	m ³	U
00717200	0.815	0.0013	x2



ARTICULATED ANCHOR WITH FLANGE SS AISI 316

Code	Kg	m ³	U
00717301	1.7	0.003	x2





ARTICULATED ANCHOR SS AISI 316

Code	Kg	m ³	U
00717311	3.0	0.0015	x2



RUBBER BUMPER

Code	Kg	m ³	U
00717312	0.05	0.0001	x2



ARTICULATED RUBBER BUMPER

Code	Kg	m ³	U
00717313	0.18	0.0005	x2




ESCUTCHEON PLATES SS AISI 316

Code	Kg	m ³	AISI	U
00717314	0.065	0.0001	304	x2
00717315	0.065	0.0001	316	x2



COVER FOR ANCHOR SS AISI 316

Code	Kg	m ³	U
00717316	0.35	0.0025	x2



KIT FOR LINER

Code	Kg	m ³	U
00717317	1.0	0.0015	x2





HANDRAILS - Ø 35 MM SS AISI 316

Code	α	Kg	m ³	U
00717414	400	0.70	0.006	x1
00717408	800	1.10	0.011	x1
00717412	1200	1.45	0.016	x1
00717414	1800	2.25	0.024	x1



HANDRAILS - Ø 43 MM SS AISI 316

Code	α	Kg	m ³	U
00717405	500	1.5	0.009	x1
00717410	1000	2.2	0.016	x1
00717415	1500	2.8	0.023	x1
00717420	2000	3.4	0.030	x1
00717430	3000	4.8	0.044	x1



TUBE - Ø 43 MM SS AISI 316

Code	α	Kg	m ³	U
00717510	1000	5.044	0.02	x1
00717520	2000	10.084	0.04	x1
00717530	3000	15.128	0.06	x1



TUBE CONNECTIONS SS AISI 316

Code	Desc	Kg	m ³	U
00717580	180°	43	0.294	0.0006 x1
00717590	90°	43	0.294	0.0037 x1



TUBE END CAP SS AISI 316

Code	Ø	Kg	m ³	U
00717591	43	0.040	0.00250	x2



WALL MOUNTING BRACKET SS AISI 316

Code	Desc	Kg	m ³	U
00717525	-	0.20	0.0005	x1
00717526	Final	0.25	0.0005	x1




HANDRAIL ACCESSORIES SET

Code	Desc	Kg	m ³	U
00717527	(1)	0.0009	0.3	x2



KIT FOR LINER FOR HANDRAILS AND LADDERS

Code	Kg	m ³	U
00717528	1.0	0.005	x2
FOR WALL MOUNTING BRACKET			
00717529	1.0	0.0015	x1





Lifebuoy

LIFE RINGS

Exterior made of rigid polyethylene

Measurements:

Ø ext. 72 cm. int. 43.5 cm.

Made of styrophor material, soft and

covered with polyester canvas.

Measurements:

Ø ext. 70 cm. int. 46 cm.

Code	Kg	m ³	U
00717701	2.0	0.06	x1
00717702	1.2	0.05	x1

LIFE RING HOLDER

Made in AISI-304 Stainless Steel or Aluminium.

Designed to be hang on wall or fitted on to a lifebelt holder post.

Code	Kg	m ³	U
00717703	0.7	0.09	x1

LIFE SAVING HOOK

Made in AISI-304 Stainless Steel or Alluminium.

For use with telescopic handles

Code	Kg	m ³	U
00717704	2.5	0.09	x1

LIFEBELT HOLDER POST

Made in AISI-304 Stainless Steel, Ø43mm.

Base plate with 3 holes. Supplied with gaskets, anchor plugs and screws.

Code	Kg	m ³	U
00717705	2.5	0.01	x1



Life Ring Holder



Life Saving Hook



Life Belt Holder Post




POOL SURROUND EQUIPMENTS Life Guard Chair



LIFE GUARD CHAIR

Made of Stainless Steel AISI-304, Ø43mm pipe. AISI316 also available on request. With dismountable base plate. Steps, platform, chair, made of High Grade plastic. Parasol holder and lifebouy bracket include.


Code	Kg	m ³	U
00727710	40.0	0.351	x1



LIFE GUARD CHAIR

Made of Stainless Steel AISI-304, Ø43mm pipe. AISI316 also available on request. With dismountable base plate. Steps, platform, chair, made of High Grade plastic. Parasol holder and lifebouy bracket include.

Code	Kg	m ³	U
00727711	45.0	0.351	x1





Straight Model Pool Slide

STRAIGHT MODEL POOL SLIDE

Polyester and fiberglass material Anti-slipping step surface Support base underneath the sliding-surface-part (slide-body) Water nozzle sprinkling water along the sliding surface tall side ramps aside the slide for extra safety Aluminium, epoxy painted handrails with white colour. Easy and fast installation. Body slide in light blue color. Height: 1.3 - 2.00m

Code	Description	Height (m)
00729008	Straight	1.3
00729003	Straight	1.5
00729012	Straight	2.0



CURVED MODEL POOL SLIDE

Polyester and fiberglass material. Anti-slipping step surface. Support base underneath the sliding-surface-part (slide-body). Two Water nozzle sprinkling water along the sliding surface. Tall side ramps aside the slide for extra safety. Aluminium, epoxy painted handrails with white colour. Easy and fast installation. Body slide in light blue color. Height: 1.80m

Code	Description	Height (m)
00729004	Right Hand Curved	1.8
00729005	Left Hand Curved	1.8



Curved Model Pool Slide




FLEXIBLE SPRING BOARD

Polyester and fiberglass board, Stainless steel base. Non-slip board surface. Available lengths: 2,40m.

Light blue color

Code	Length	Kg	U
00727718	2.40	70.0	x1




Flexible Spring Board

DIVING BOARD

Polyester and fiberglass board. Polyester and fiberglass base. Non-slip board surface

Available lengths: 1,80m, 2,00m & 2,40m. Light blue color

Code	Length	Kg	U
00727719	1.80m	30.0	x1
00727720	2.00m	45.0	x1
00727721	2.40m	60.0	x1



Diving Board

DIVING BOARD WITH STEEL BASE


Polyester and fiberglass board. Stainless steel base. Non-slip board surface

Available lengths 1.8m & 1.4m. Width 0.45m. Light blue color

Code	Length	Kg	U
00727722	1.80m	30.0	x1
00727723	1.40m	45.0	x1



Diving Board with steel base



DIVING BOARD WITH HANDRAILS


Polyester and fiberglass board. Fiberglass steps - Single and double steps. Non-slip board surface

Available lengths: 2m & 2.4m. Width : Ø40m. Light blue color.

Code	Length	Kg	U
00727725	2.00m	30.0	x1
00727726	2.40m	45.0	x1



Diving Board with Handrails





DELUXE 3& 1 METER TOWERS

Made of carbon steel, primed and ready for a high -quality acrylic urethane enamel paint. Available in 1 or 3 meter heights with either dual, heel, left or right mount ladder. Pair with 14 or 16 diving board to find the right size for your commercial diving pool. Handrails are included and are made of 1.90" OD ., 065" wall stainless steel. comes standard with a quick adjustable fulcrum (QAF-100) and stainless steel handrails.

Model No	Description	Shipping			
		Weight	Length	Width	Height
CAT -1M 203D	1 meter tower Dual mount	1000 lbs	132"	40"	48"
CAT - 1M 203H	1 meter tower Heel mount	1000 lbs	132"	40"	48"
CAT - 1M 203HA	1 meter tower Heel mount w/alternative jig	1000 lbs	132"	40"	48"
CAT - 1M -203L	1 meter tower Left mount	900 lbs	132"	40"	48"
CAT - 1M -203R	1 meter tower Right mount	900 lbs	132"	40"	48"
CAT -3M - 203D	3 meter tower Dual mount	1400 lbs	132"	40"	48"
CAT -3M - 203H	3 meter tower Heel mount	1250 lbs	132"	40"	48"
CAT - 3M - 203HA	3 meter tower Heel mount w/alternative jig	1250 lbs	132"	40"	48"
CAT - 3M - 203L	3 meter tower Left mount	1175 lbs	132"	40"	48"
CAT - 3M - 203R	3 meter tower Right mount	1175 lbs	132"	40"	48"

NOT RECOMMENDED FOR SALT POOLS

To order a tower without Jig add -A to the end of the part number Ships from oregon facility only

All installation must comply with all applicable local and national codes and installation must be completed in accordance with S.R smith installation instructions.

PARTS & HARDWARE

- QAF-100 Quick Adjustable Fulcrum
- 12-102 Tie Down Assembly (For 1 & 3M)
- 12-108 Front Post Anchor Jig
- 6-114 Treads
- 13-105 Ladder Anchor Jig
- 13-106 Heel Post Anchor Jig
- 12-111H Heel Mount Tray
- Hardware Assembly

PRE-ORDER ANCHORS FOR NEW CONSTRUCTION

Tower Style	Anchor Jigs Needed
Heel Mount	12-108 & 13-105
Side Mount (Left or Right)	12-108, 13-105 & 13-106
Dual Mount	12-108 & two 13-105



1 Meter Stand

SR Smith





DIVING BOARDS

Model	Description
2/3 Meter	Frontier III Commercial, Swim Club, Olympian
Econoline 1 Meter	Eureka, Frontier III Commercial, Swim Club, Olympian
Deluxe 1 & 3 Meter	Eureka, Frontier III Commercial, Swim Club, Olympian
Steel Meter	Frontier III Commercial, Swim Club, Olympian, Frontier IV*
U-Frame	Frontier III Commercial, Olympian, Frontier IV*



Swim Club- Includes flow-coat, Smooth Backside



Eureka- Fiberglass wrapped core with flow- coat, smooth backside



Olympian-Sturday, aluminum construction




Frontier III Commercial-Fiberglass reinforced core, acrylic shell with flexible outer edge, matted backside, non-slip sanded tread



Frontier IV -Fiberglass reinforced core, acrylic shell with flexible outer edge, matted backside, non-slip sanded tread



3 Meter Stand



SR Smith.

**Note: All diving boards have a 250 pound weight limit, Excepts for the frontier IV, which has a 400 pound weight limit*



POOL SURROUND EQUIPMENTS Portable Pool Lift




PORTABLE POOL LIFT , AVANT - GRADE TECHNOLOGY- 700800

Powered portable pool lift , avant - grade technology -A real dream
The latest product created by DiGi project. It is innovative in its features thanks to the control bar with automatic traction, no efforts required by the operator . Improved autonomy and capacity up to 145kg. Maximum safety degree thanks to 8 safety levels. All this makes the universal reference for pool lifts.

SPECIFICATION OF POOL

- Lifting capacity 145kg
- Max arm travel :1500mm
- Depth of seat inside the water:900mm
- Time of lowering with weight:25sec
- Time of lifting with weight:18 Sec
- Weight :260kg
- 2 speed automatic handling
- Autonomy :100 working cycle
- Automatic bar , forward motion by up and down control levers
- battery charge level indicator and emergency button
- Rotating drives wheels radius :200°
- Hydroelectric box
- Manual emergency operation system in case of failure of electric system
- Automatic braking system integrated in the wheels.
- Safety braking system by means of automatic stoppers to prevent from excessive approach to the water
- Infrared ground detector
- Safety motion system by means of vertical bar switch off
- battery 24V
- Battery charger
- Zinc coated steel frame +180° powder coating finish
- 2 point safety belt
- 4 or 5 point safety belts (on request)
- Headrest
- Removable leg support
- Ground fixing kit (on request)
- Handset to control up and down movements (on request)
- Cover (on request)



POOL SURROUND EQUIPMENTS Portable Pool Lift



PORTABLE POOL LIFT - 700900

SAFETY MEETS THE DESIGN

Pool lift is a medical device which enables the access to the pool to persons with reduced mobility in a safe, comfortable and functional way. pool lift is the result of the evolution of the best seller model. Pool lift which has been on the market for over that 10 years . This new pool lift is improved in the design, technology and lifting capacity. In developing this model take care of ensuring all the safety levels, for both the user and the operator , which are present in all the brand devices.

SPECIFICATION FOR POOL LIFT

- Maximum capacity 140kg
- Maximum arm travel 1400kg
- Time of lowering with weight 25 sec
- Time of lifting with weight 18 sec
- Weight of the machine 150kg
- Battery 12 V
- Power 24 V

TECHNICAL FEATURES OF POOL LIFT

- Starting key
- Emergency Mushroom shaped button
- Battery charge level indicator
- External battery charger
- Autonomy 80 complete cycle
- Hydroelectric box
- Manual lowering lifting system in case of problems with the electric system
- Brake lever with electric release
- Service brake on front wheels
- Safety front rubber stoppers
- Painted stainless steel frame for the parts in contact with water
- 2 point safety belt
- Pivoting rear wheels

OPTIONAL

Infrared detecting system with sound alarm to monitor nearing to the pool edge.

It is to be stopped by braking


Removable leg support

4 point harness

5 point harness

Handset to control lifting and lowering operations in autonomy

Cover



PORTABLE POOL LIFT FOR PEOPLE WITH DISABILITIES - 700600

Bluone is a device that can transfer people to and from pools, dressing rooms and other places in an easy, smooth and safe manner. Bluone is easy to use. The person simply sits on the seat at the front and is pushed to the edge of the pool. Simply operate the brake and clock position, press the down button and the swimmer is lowered into the pool. It is sufficient to press the up button to lift the seat again and bring it back to the original position.

INNOVATIVE FEATURES OF PORTABLE POOL LIFT

This pool lift has been developed by our skilful engineers after years of experience in providing solutions for people with disabilities. Although designed for wheelchair users, this hoist can assist anyone who struggles to get in and out of a swimming pool. Our company aims to give a real help to those inner needs that are frustrated by everyday difficulties by making a free life whenever you are.

TECHNICAL DEVICES


key - starter and emergency stop red button Handbrake - The up and down controls will not operate unless the handbrake is set. The lift is equipped with an emergency manual pump. Use it in case of electrical power failure. Rubber stoppers between front and rear wheels to prevent the lift from falling into the water. As the arm lowers, two steel rubber capped support provides additional stability. Emergency manual pump. Automatic rubber capped support.

ACCESSORIES

Headrest - To be fitted to the lifting arm, at the back of the seat
Harness - 5 point harness with pelvic fastening for serious disabilities
Cover - to protect bluone from atmospheric agents
Ramp - to sketch according to the pool edge

FEATURES / MATERIALS / EQUIPMENT

- Lifting capacity - 110Kg
- Max.travel - 1150mm
- Time of down - lifting with weight - 23 sec
- Time of up - lifting with weight - 17 sec
- Total weight - 120Kg
- Frame - Zinc coated steel
- Powder coating finish - 180°
- Battery -24V
- Power - 12V
- Electrohydraulic box
- External battery charger





ANTI-SLIP DESIGN GRATINGS WHITE COLOR

Proteam Europa overflow gratings made of UV protected white ABS with unique anti spill design, the water will never spill on to the deck of the pool. 45 units in single linear meter. Also available in different colours.

Code White	Code Beige	Height (mm)	Width (mm)	Valume m ³	Packing (m)
00831953	00831954	30	195	0.080	5
00832453	00832455	30	245	0.080	5
00832953	00832956	30	295	0.080	5
00833353	00833357	30	335	0.080	5



STANDARD MODULAR GRATINGS 22 MM HEIGHT


Proteam Europa overflow gratings made of UV protected high grade PP with unique anti spill design, the water will never spill on to the deck of the pool. 45 units in single linear meter. Also available in different colours.

Code White	Code Beige	Height (mm)	Width (mm)	Valume m ³	Packing (m)
00811950	00811951	22	195	0.058	10
00812450	00812452	22	245	0.058	10
00812950	00812953	22	295	0.058	5
00813350	00813354	22	335	0.058	5



STANDARD MODULAR GRATINGS 35 MM HEIGHT

Code White	Code Beige	Height (mm)	Width (mm)	Valume m ³	Packing (m)
00811955	00811959	35	195	0.058	5
00812456	00812460	35	245	0.058	5
00812957	00812961	35	295	0.058	5
00813358	00813362	35	335	0.058	5



CORNER TILES 90°/45°

Proteam Europa corner tile made of UV protected high grade PP and it is available in different colours

Code 90°	Code 45°	Height (mm)	Width (mm)	Valume m ³	Packing (m)
00821990	00821992	22	195	0.006	6
00822490	00822493	22	245	0.009	6
00822491	00822494	22	295	0.010	6
00822990	00822995	35	195	0.006	6
00823390	00823396	35	245	0.009	6
00823391	00823397	35	295	0.010	6



GRATING SUPPORT

Proteam Europa overflow grating profile made of high grade UV protected made of PP. Supplied in 2m length

Code White	Code Beige	Height (mm)	Width (mm)	Valume m ³	Packing (m)
00812235	00812236	2000	22/35	0.033	50





ANTISLIP GLASS MOSAIC TILES

Create elegant pools through unlimited colour and tissue alternatives Mosaic carries the luminance of the glass to the pool linings. By preparing in fast colours and high temperature, creates authentic swimming pools through various colour and tissue alternatives. The range of colours shown here should only be taken as an approximation to reality.


THICKNESS

25 x 25 mm = 5.5 mm


50 x 50 mm = 5.8 mm

AVAILABLE OPTIONS

- Paper Mounted
- Net Mounted
- PVC film Mounted



Code: F-01 - Size: 50 x 50mm




Code: F-02 - Size: 50 x 50mm



Code: G-31 - Size: 50 x 50mm




Code: A-161 - Size: 25 x 25mm




Code: A-202 - Size: 25 x 25mm




Code: A-203 - Size: 25 x 25mm



Code: RM-48 - Size: 25 x 25mm



Code: A-155 - Size: 25 x 25mm



Code: A-250 - Size: 25 x 25mm





PROTEAM EUROPA PVC - P COATED LININGS

Are suitable for lining swimming pools, tanks, ponds and lagoons as a permanently sealed membrane. The structure of ground condition must be stable and capable of supporting the lining material and contained water pressure. The lining must extend above the highest water level and be secured and sealed at edges to prevent water infiltration to the underside of the membrane. The lining sheets are laid loosely so that they can bridge any movements or cracks in the building caused for example by shrinkage. It must be taken into account that condensation may occur on the side away from the water. We recommend to provide secondary outlets or discharge bores below the lining.

PLAIN AND PRINTED COLOURS

- L1 - White
- L2 - Sand
- L3 - Grey
- L4 - Black
- L5 - Light Blue
- L6 - Navy Blue
- L7 - Caribbean Green
- L8 - Servanne
- L9 - Mosaic



Model A1
Edge tile in 100% porcelain
Size L 24.5cm x W 12.2cm x H 2cm



Model A2
Anti slip Adjacent tile in 100% porcelain
Size L 24.5cm x W 12.2cm x H 2cm



Model A3
Anti slip Ladder tile in 100% porcelain
Size L 24.5cm x W 12.2cm x H 2cm



Model A5
Anti slip Deck tile in 100% porcelain
Size L 33cm x W 33cm x H 2cm





Model A4
Anti slip Glooved tile in 100% porcelain
Size L 24.5cm x W 24.5cm x H 2cm



POOL SURROUND EQUIPMENTS Natural Stones



NATURAL COPING STONES - MODEL B001



California



Kavalas



Silver Grey



Sunny



POOL SURROUND EQUIPMENTS Natural Stones



NATURAL SUPPORTING STONES - MODEL B002



California



Kavalas



Silver Grey




Sunny



POOL SURROUND EQUIPMENTS Natural Stones




NATURAL COPING STONES - MODEL B003



California



Kavalas



Silver Grey



Sunny





NATURAL EDGE TILE - MODEL B004



California




Kavalas



Silver Grey





Sunny



POOL SURROUND EQUIPMENTS Natural Stones



NATURAL STONE FOR OVERFLOW POOL - MODEL B005



California



Kavalas



Silver Grey




Sunny



POOL SURROUND EQUIPMENTS Natural Stones



NATURAL STONE FOR OVERFLOW POOL - MODEL B006



California





Kavalas



Silver Grey





Sunny



POOL SURROUND EQUIPMENTS Natural Stones




NATURAL SUPPORTING STONE - MODEL B007



California



Kavalas



Silver Grey



Sunny

