

WELLNESS

WELLNESS



Spa

258

Endless Swimming Pool with Spa

280

Spa Bath Tub

290

Massage Bed

295

Massage Panel

298

Pool Bike

300

Pool Treadmill

301

Spa Fittings

303

Air Blower

307

Sauna

309

Steam Room

314

Gazebo

315

**Swimming for twenty minutes
equivalent to running half an hour**

259



America balboa system import control panel, adjustable features, lighting and music spa, bath the garden wonderful life



Unique two-way massage nozzles, providing unparalleled back massage.



Colourful water features colourful backlight means you can create curved water features, both inside and outside the tub can be comfortable with views.



Comfortable pillow is the focus of the spa bath, it provides the perfect support.



Each corner spa bath like the water feels flow in the cylinder housing spa capsules form cylinder housing and spa cabin blends wonderful feeling.



Grid-like overflow makes this typical functional components machine become attractive design elements.



OZONE SYSTEM



SPEAKER SYSTEM



UV STERILIZER



THERAPY FOR BODY AND SOUL

Proteam Europa Ergonomically designed using therapeutic principles, each spa fits the contours of your body providing proper lumbar support and maximizing comfort while the jets melt away stress and muscle strain. When you are in the spa many points on your body will experience the wonderful effects of water massage extraordinary comfort will come to your entire body.

INTEGRATED MICRO - COMPUTER CONTROLLER

Along with LED light Integrated massage, bubble massage, automatic ozones sterilizer and dynamic fountain, you will customize a personalized program featuring a user friendly interface to ease the process




PLENTY OF ENTERTAINMENT OPTIONS

Advance and water proof technologies offer a variety of leisure options include into DVD, Mp3, FM Radio, Pop Tv, and loud speakers. While enjoying water swashes, you will chill out listening to good tunes and watching movies.



A HAPPY SPA

you'll enjoy a "Happy spa" featuring fancy accessories water curtain, waterfall and fountain. LED body care, and aromatherapy experience light up your daily grind with peaceful mind and body.



NECK MASSAGE




LEG MASSAGE



BODY MASSAGE



FOOT MASSAGE



WATER MASSAGE JETS
WITH LED



ROTATING MASSAGE





PROTEAM EUROPA - MICA SPA



PRSPA 008120	Size 2300x2200x800mm
Seating capacity	3 persons
Lounge	2 persons
Product Dimensions	2300mmx2200mmx800mm
Packing dimensions	2400mmx2300mmx900mm
Weight -Dry/Filled	410KG/1760KG
Water Capacity	357US Gallon /1350Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	1*3HP
Air blower	N/A
Control system	America Balboa System
Power supply	5350watt/24.3Ain 230V50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Logo led light	3 pcs
Jets total	29
3.5inches Massage jets	6(3pcs D-jet 3 pcs Rotating jet)
5 inches Massage jets	1
1.0inches Massage jets	22
Air jets	N/A
Filter	Front Access Filters
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	1
Air regulator	2
Suctions	2
Gate valves	2
Drain Valve	1
Headrest pillows	3
Support frame	316 stainless steel
Skirt	Brown / Grey / Cofee color



PROTEAM EUROPA - LIMA SPA

PRSPA 008060	Size 2230x2230x940mm
Seating capacity	5 persons
Lounge	1 persons
Product Dimensions	2230mmx2230mmx940mm
Packing dimensions	2330mmx2330mmx1040mm
Weight -Dry/Filled	395KG/1645KG
Water Capacity	330US Gallon /1250Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	400w
Air blower	N/A
Control system	America Balboa System
Power supply	230V50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Logo led light	3 pcs
Jets total	49
3.5inches Massage jets	22(10pcs D-jet 12 pcs Rotating jet)
5 inches Massage jets	4
2.5 inches massage jet	2
1.0inches Massage jets	21
Air jets	N/A
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	1
Air regulator	4
Stainless steel fountain	3
Suctions	3
Drain Valve	1
Headrest pillows	3
Support frame	316 stainless steel
Skirt	Brown / Grey / Cofee color
Corner LED Light	12
ABS Base	1





PROTEAM EUROPA - CRISTY SPA



PRSPA 008010	Size 2230x2230x940mm
Seating capacity	5 persons
Lounge	1 persons
Product Dimensions	2230mmx2230mmx940mm
Packing dimensions	2330mmx2330mmx1040mm
Weight -Dry/Filled	350KG/1600KG
Water Capacity	330US Gallon /1250Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	1*3HP
Air blower	N/A
Control system	America Balboa System
Max power consumption	5350watt/24.3Ain 230V50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Logo led light	3 pcs
Jets total	28
3.5inches Massage jets	6(3pcs D-jet 3 pcs Rotating jet)
1.0inches Massage jets	22
Air jets	N/A
Filter	Front access filter
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	2
Air regulator	2
Suctions	2
Gate valves	2
Drain Valve	1
Headrest pillows	3
Support frame	316 stainless steel
Skirt	Brown/Grey Available
Black ABS Corner	1




PROTEAM EUROPA - ROBO SPA

PRSPA 008050	Size 2230x2230x940mm
Seating capacity	3 persons
Lounge	2 persons
Product Dimensions	2230mmx2230mmx940mm
Packing dimensions	2330mmx2330mmx1040mm
Weight -Dry/Filled	395KG/1645KG
Water Capacity	330US Gallon /1250Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	400W
Control system	America Balboa System
Power supply	230V50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Logo led light	3 pcs
Jets total	61
3.5inches Massage jets	21 (14pcs D-jet 7 pcs Rotating jet)
5 inches Massage jets	2
2.5 inches massage jet	4
1.0inches Massage jets	34
Air jets	N/A
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	2
Air regulator	4
Stainless steel fountain	3
Suctions	4
Drain Valve	1
Headrest pillows	3
Support frame	316 stainless steel
Skirt	Brown/Grey Available
Corner LED Light	12
ABS Base	1



Lorer
dolor
conse





PROTEAM EUROPA - MICCO SPA




PRSPA 008320	Size 2790x2200x940mm
Seating capacity	7 persons
Lounge	1 persons
Product Dimensions	2790mmx2200mmx940mm
Packing dimensions	2890mmx2300mmx1040mm
Weight -Dry/Filled	480KG/2430KG
Water Capacity	515US Gallon /1950Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	3*2HP
Circulation pump	0.53HP
Control system	America Balboa System
Max power consumption	7950W 34.6A in 230V 50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Logo led light	3 pcs
Jets total	112
3.5inches Massage jets	9(5pcs D-jet 4 pcs Rotating jet)
5 inches Massage jets	5(2pcs D-jet 3 pcs Rotating jet)
2.5 inches massage jet	2
1.0inches Massage jets	96
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	200mg/h
Water diverter	2
Air regulator	4
Stainless steel fountain with LED	2
Suctions	5
Drain Valve	1
Headrest pillows	3
Support frame	316 thickening stainless steel
Skirt	Natural / Brown / Grey / Cofee color
Corner LED Light	12
ABS Base	1





PROTEAM EUROPA - BLANCA SPA

PRSPA 008321	Size 2600x2200x940mm
Seating capacity	7 persons
Lounge	1 persons
Product Dimensions	2600mmx2200mmx940mm
Packing dimensions	2700mmx2300mmx1040mm
Weight -Dry/Filled	450KG/2100KG
Water Capacity	422US Gallon /1600Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	3*2HP
Circulation pump	0.53HP
Control system	America Balboa System
Max power consumption	7950W 34.6A in 230V 50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Logo led light	3 pcs
Jets total	84
3.5inches Massage jets	18(9pcs D-jet 9 pcs Rotating jet)
5 inches Massage jets	4(2pcs D-jet 2 pcs Rotating jet)
2.5 inches massage jet	2
1.0inches Massage jets	60
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	200mg/h
Water diverter	2
Air regulator	2
Stainless steel fountain with LED	2
Suctions	4
Drain Valve	1
Headrest pillows	3
Support frame	316 thickening stainless steel
Skirt	Natural / Brown / Grey / Cofee color
Corner LED Light	12
ABS Base	1





PROTEAM EUROPA - BELWA SPA



PRSPA 008080	Size 2130x1650x875mm
Seating capacity	1 persons
Lounge	2 persons
Product Dimensions	2130mmx1650mmx875mm
Packing dimensions	2230mmx1750mmx975mm
Weight -Dry/Filled	295KG/2790KG
Water Capacity	210US Gallon /795Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	400W
Control system	America Balboa System
Power supply	220V 50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Logo led light	3 pcs
Jets total	43
3.5inches Massage jets	4(2pcs D-jet 2 pcs Rotating jet)
1.0inches Massage jets	39
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	200mg/h
Water diverter	2
Air regulator	2
Stainless steel	3
Suctions	4
Drain Valve	1
Headrest pillows	2
Support frame	316 thickening stainless steel
Skirt	Natural / Brown / Grey / Cofee color
Corner LED Light	12
ABS Base	1





PROTEAM EUROPA - TEMA SPA

PRSPA 008081	Size 2130x1650x875mm
Seating capacity	2 persons
Lounge	1 persons
Product Dimensions	2130mmx1650mmx875mm
Packing dimensions	2230mmx1750mmx975mm
Weight -Dry/Filled	255KG/1050KG
Water Capacity	210US Gallon /795Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	1*2HP
Circulation pump	
Control system	America Balboa System
Power supply	220V 50Hz
Heater(America Balboa brand)	2KW /230-240VAC
Underwater lighting	5" LED
Jets total	23
5inches Massage jets	1
3.5inches Massage jets	11
1.0inches Massage jets	11
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	1
Air regulator	2
Suctions	2
Gate valves	
Drain Valve	1
Headrest pillows	3
Support frame	316 thickening stainless steel
Skirt	Natural / Brown / Grey / Cofee color
Black ABS Corner	Yes
Corner LED Light	12
ABS Base	1





PROTEAM EUROPA - MOTTO SPA



PRSPA 008780	Size 2200x2200x920mm
Seating capacity	6 persons
Product Dimensions	2200mmx2200mmx920mm
Packing dimensions	2300mmx2300mmx1020mm
Weight -Dry/Filled	385KG/1635KG
Water Capacity	330US Gallon /1250Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	0.53HP
Control system	America Balboa System
Max power consumption	6440W 28A in 230V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Jets total	40
5inches Massage jets	3
3.5inches Massage jets	11
1.0inches Massage jets	26
Filter	1
Effective Filtration area	150Sq .ft
Ozone generator	50mg/h
Water diverter with LED	2
Air regulator	2
Suctions	4
Gate valves	2
Drain Valve	1
Headrest pillows	4
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black



PROTEAM EUROPA - TONGO SPA

PRSPA 008790	Size 2200x2200x920mm
Seating capacity	5 persons
Lounge	1
Product Dimensions	2200mmx2200mmx920mm
Packing dimensions	2300mmx2300mmx1020mm
Weight -Dry/Filled	385KG/1635KG
Water Capacity	330US Gallon /1250Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	0.53HP
Control system	America Balboa System
Max power consumption	6500W 28A in 220V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Jets total	45
5inches Massage jets	5
3.5inches Massage jets	10
1.0inches Massage jets	30
Air jets	
Filter	1
Effective Filtration area	150Sq .ft
Ozone generator	50mg/h
Water diverter with LED	2
Air regulator	2
Suctions	5
Gate valves	2
Drain Valve	1
Headrest pillows	3
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black



PROTEAM EUROPA - RETTINA SPA

PRSPA 008620	Size 2300x2300x950mm
Seating capacity	3 persons
Lounge	2
Product Dimensions	2300mmx2300mmx950mm
Packing dimensions	2400mmx2400mmx1110mm
Weight -Dry/Filled	450KG/1950KG
Water Capacity	396US Gallon /1500Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	3*2HP
Circulation pump	0.53HP
Air blower	1.5HP
Control system	America Balboa System
Max power consumption	8700W 39.5A in 220V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Jets total	91
Massage jets	81
Air jets	10
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter with LED	2
Air regulator	2
Suctions	4
Gate valves	8
Drain Valve	1
Headrest pillows	3
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black



PROTEAM EUROPA - DANO SPA

PRSPA 008160	Size 2200x2200x950mm
Seating capacity	3 persons
Lounge	2
Product Dimensions	2200mmx2200mmx950mm
Packing dimensions	2300mmx2300mmx1050mm
Weight -Dry/Filled	495KG/1845KG
Water Capacity	357US Gallon /1350Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	3*2HP
Circulation pump	0.53HP
Air blower	1.5HP
Control system	America Balboa System
Max power consumption	8700W 39.5A in 220V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Jets total	89
Massage jets	78
Air jets	11
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter with LED	2
Air regulator	2
Suctions	2
Gate valves	4
Drain Valve	1
Headrest pillows	3
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - CRITY SPA

PRSPA 008260	Size 2200x2200x950mm
Seating capacity	4 persons
Lounge	2 persons
Product Dimensions	2200mmx2200mmx950mm
Packing dimensions	2300mmx2300mmx1050mm
Weight -Dry/Filled	385KG/1635KG
Water Capacity	330US Gallon /1250Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	3*2HP
Circulation pump	0.53HP
Air blower	1.5HP
Control system	America Balboa System
Max power consumption	8700W 39.5A in 230V/50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Jets total	73
Massage jets	61
Air jets	12
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter with LED	2
Air regulator	6
Suctions	4
Gate valves	8
Drain Valve	1
Headrest pillows	4
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black



PROTEAM EUROPA - CAMIO SPA

PRSPA 008510	Size 3800x2200x1050mm
Seating capacity	6 persons
Lounge	4
Product Dimensions	3800mmx2200mmx1050mm
Packing dimensions	3900mmx2300mmx1150mm
Weight -Dry/Filled	520KG/2370KG
Water Capacity	488US Gallon /1850Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	3*3HP
Circulation pump	1HP
Air blower	1.5HP
Control system	America Balboa System
Max power consumption	11625W 52.9A in 230V/50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Jets total	158
Massage jets	138
Air jets	20
Filter	Front access filters
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter with LED	4
Air regulator	4
Suctions	4
Gate valves	8
Drain Valve	1
Headrest pillows	7
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - MICCO



PRSPA 008300	Size 1900x1900x780mm
Seating capacity	4 persons
Lounge	1
Product Dimensions	1900mmx1900mmx780mm
Packing dimensions	2000mmx2000mmx880mm
Weight -Dry/Filled	295KG/1169KG
Water Capacity	231 US Gallon /874Liters
Shell colours	White Colour
Shell material	US Aristech Acrylic
Jet pump	1*2HP
Control system	Prow smart control
Max power consumption	1950W 8.5A in 230V/50Hz
Heater(America Balboa brand)	1.5KW /230-240VAC
Underwater lighting	5" LED
Jets total	20
Massage jets	20
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	1
Air regulator	2
Suctions	2
Gate valves	2
Drain Valve	1
Headrest pillows	3
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - LIVOTI SPA

PRSPA 008310	Size 2450x2450x980mm
Seating capacity	6 persons
Lounge	0
Product Dimensions	2450mmx2450mmx980mm
Packing dimensions	2500mmx1003mmx2600mm
Weight -Dry/Filled	445KG/2005KG
Water Capacity	412US Gallon /1560liters
Shell colours	10 colors available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	0.53HP
Air blower	1.5HP
Control system	America balboa control
Max power consumption	7300W 33.1A in 230V/50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Jets total	48
Massage jets	32
Air jets	16
Filter	Built-in filters
Effective Filtration area	100sq .ft
Ozone generator	50mg/h
Water diverter with LED	2
Air regulator	4
Suctions	3
Gate valves	6
Drain Valve	1
Headrest pillows	6
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - NORDI

PRSPA 008650	Size 2350x2350x950mm
Seating capacity	6 persons
Lounge	0
Product Dimensions	2350mmx2350mmx950mm
Packing dimensions	2400mmx1000mmx2500mm
Weight -Dry/Filled	380KG/1750KG
Water Capacity	362US Gallon /1370Liters
Shell colours	10 colors available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	0.53
Control system	America balboa control
Max power consumption	7300W 33.1A in 230V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
Jets total	43
Massage jets	43
Filter	Top mount filters
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	2
Air regulator	1
Suctions	4
Gate valves	6
Drain Valve	1
Headrest pillows	6
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - VITON



PRSPA 008180	Size 2200x830
Seating capacity	5 persons
Lounge	0
Product Dimensions	2200mm x 830mm
Packing dimensions	2300mmx2300mmx930mm
Weight -Dry/Filled	370KG/1411KG
Water Capacity	275US Gallon / 1041 Liters
Shell colours	10 colors available
Shell material	US Aristech Acrylic
Jet pump	3HP
Circulation pump	0.53HP
Air blower	1HP
Control system	America balboa control
Max power consumption	6340W 28.8A in 230V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
PVC jets total	29
Jets total	21
Massage jets	8
Filter	Built-in filters
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Suctions	3
Gate valves	6
Drain Valve	1
Headrest pillows	4
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - WILLI

PRSPA 008750	Size 2000 x 900mm
Seating capacity	5 persons
Lounge	0
Product Dimensions	2000mm x 900mm
Packing dimensions	2100mmx2100mmx1000mm
Weight -Dry/Filled	350KG/1556KG
Water Capacity	319US Gallon / 1206 Liters
Shell colours	10 colors available
Shell material	US Aristech Acrylic
Jet pump	2*2HP
Circulation pump	0.53HP
Control system	America balboa control
Max power consumption	7200W 32.7A in 230V/50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	3" LED
PVC jets total	34
Jets total	4
Massage jets	30
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	1
Water level LED Light	17
Air regulator	1
Suctions	2
Pop up speaker	1
Gate valves	6
Drain Valve	1
Headrest pillows	3
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black






PROTEAM EUROPA - TRIO

PRSPA 008400	Size 1800x1800mmx750mm
Seating capacity	0 persons
Lounge	2 persons
Product Dimensions	1800mm x1800 x 750mm
Packing dimensions	1900mmx1900mmx850mm
Weight -Dry/Filled	255KG/1005KG
Water Capacity	1 98US Gallon / 750 Liters
Shell colours	10 colors available
Shell material	US Aristech Acrylic
Jet pump	2HP
Circulation pump	0.53HP
Air blower	1HP
Control system	America balboa control
Max power consumption	5435W 24.7A in 220V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
PVC jets total	28
Jets total	14
Massage jets	14
Filter	Built-in Filters
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Suctions	1
Gate valves	2
Drain Valve	1
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - RIVA SPA





PROTEAM EUROPA - RIVA SPA

Proteam Europa welcome you to the world of ultimate Relaxation. When the demands of your everyday working and private life get in the way of health and relaxation, there is little time to find a healthy balance. The calming effect of warm water helps you to fall asleep at night.

TECHNICAL SPECIFICATION

RSPA 008590		Size 8100x2200mmx1400mm
Spa part		Swimming part
Seating capacity	6 Person	Seating capacity 0
Lounge	4 Person	2 persons
Product Dimensions		4000mm x 2200 x 950mm/1400mm 4100mm x 2200 mm x 1400mm
Packing dimensions		4100mm x 2300mm x 1500mm 4200mm x 2300mm x 1500mm
Weight		1650KG
Water Capacity		3300US Gallon / 12500 Liters
Shell colours		10 colors available
Shell material		US Aristech Acrylic
Jet pump	1*3HP	Jet pump 3*3HP
Jet pump	4*2HP	Jet pump 2*2HP
Circulation pump	1HP	1HP
Air blower		1.5HP
Control system		America balboa control
Max power consumption		13600W 20.6A in 380V/50Hz
Heater	3KW /220-240VAC	3KW /220-240VAC
Underwater lighting	5" LED	5" LED
Jets total	151	41
Massage jets	133	39
		Super size U shape swim jet with LED 2 pcs
Air jets		18
Filter		1
Effective Filtration area		100Sq .ft
Ozone generator		200mg/h
Water diverter	6	4
Air regulator	2	6
Suctions	6	6
Drain Valve	1	1
Headrest pillows	7	2
Overflow outlet		2
Support frame		316 thickening stainless steel
Skirt		Brown / Grey / Black





PROTEAM POOL WITH SPA





PROTEAM EUROPA - ROYO SPA

Proteam Europa welcome you to the world of ultimate Relaxation. When the demands of your everyday working and private life get in the way of health and relaxation, there is little time to find a healthy balance. The calming effect of warm water helps you to fall asleep at night.

TECHNICAL SPECIFICATION

PRSPA 008500		Size 5880x2200mmx1300mm
Spa part		Swimming part
Seating capacity	3 Person	Seating capacity 0
Lounge	1 Person	2 persons
Product Dimensions	2200mm x 1700mm x 1300mm	4150mm x 2200 x 950mm/1300mm
Packing dimensions		5950mm x 2300 mm x 1400mm
Weight		850Kg / 10250kg
Water Capacity		2482US Gallon / 9400 Liters
Shell colours		10 colors available
Shell material		US Aristech Acrylic
Jet pump	2*2HP	Jet pump 1*2HP
Circulation pump	400W	Swim pump 3*3 Circulation pump 1HP
Air blower	1HP	1.5HP
Control system		America balboa control
Max power consumption	7500W 11.4A in 380V	13125W 19.9A in 380V/50Hz
Heater	3KW /220-240VAC	3KW /220-240VAC
Underwater lighting	5" LED	5" LED
Jets total	74	60
Massage jets	65	41, Swim jet 9
Super size U shape swim jet with LED 2 pcs		
Air jets	9	10
Filter	1	1
Effective Filtration area		100Sq .ft
Ozone generator		50mg/h
Water diverter	2	2
Air regulator	3	3
Suctions	4	6
Drain Valve	1	1
Headrest pillows	2	2
Overflow outlet		2
Support frame		316 thickening stainless steel
Skirt		Brown / Grey / Black





PROTEAM EUROPA - NODO SPA

TECHNICAL SPECIFICATION

PRSPA 008560		Size 11750x2200mmx1600mm
Spa part		Swimming part
Seating capacity	5 Person	seating capacity 0
Lounge	1 Person	
Product Dimensions		11750mm x 2200 x 1600mm
Packing dimensions		11850mm x 2300 mm x 1700mm
Weight		1900Kg / 26900kg
Water Capacity		6605US Gallon / 25000 Liters
Shell colours		5 colors available
Shell material		US Aristech Acrylic
Jet pump	2*2HP	Swim pump 3*5
Circulation pump	1HP	Circulation pump 1HP
Control system		America balboa control
Max power consumption	6790W 10.3A in 380V	15000W 22.8A in 380V/50Hz
Heater	3KW /220-240VAC	3KW /2300-240VAC
Underwater lighting	5" LED-1	5" LED-2
Jets total	38	6
Massage jets	38	7.5" Direct inunction swim jet 6
Filter	1	1
Effective Filtration area		100Sq .ft
Ozone generator		50mg/h
Water diverter	1	2
Air regulator	1	1
Suctions	3	5
Drain Valve	1	1
Headrest pillows	3	0
Overflow outlet		2
Support frame		316 thickening stainless steel
Skirt		Brown / Grey / Black

PROTEAM POOL WITH SPA





PROTEAM EUROPA - DOMY SPA

TECHNICAL SPECIFICATION

PRSPA 008530	Size 4300x2200x1350mm
Seating capacity	1 person
Lounge	2 personS
Product Dimensions	4300mmx2200mmx1360mm
Packing dimensions	4400mmx2300mmx1460mm
Weight -Dry/Filled	690KG/6190KG
Water Capacity	1453US Gallon /5500Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	1*2HP
Swim pump	3*3 HP
Circulation pump	1 HP
Control system	America Balboa System
Max power consumption	12000W 18.2A in 380V/50Hz
Heater(America Balboa brand)	3KW /230-240VAC
Underwater lighting	5" LED
Jets total	36
Swim jet	7.5" 6 pcs
Massage jets	3.5" 8 pcs 1.5" 22pcs
Filter	1
Effective Filtration area	150Sq .ft
Ozone generator	50mg/h
Fountain with LED	4pcs
Water diverter with LED	1
Air regulator	2
Suctions	6
Gate valves	2
Drain Valve	1
Headrest pillows	2
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - MOZZO SPA

TECHNICAL SPECIFICATION

PRSPA 008550	Size 6700x2200x1 650mm
Seating capacity	2 person
Product Dimensions	6700mmx2200mmx1530mm
Packing dimensions	6800mmx2300mmx1630mm
Weight -Dry/Filled	1050KG/6050KG
Water Capacity	3963US Gallon /15000Liters
Shell colours	10 Colour available
Shell material	US Aristech Acrylic
Jet pump	1*2HP
Swim pump	3*3 HP
Circulation pump	1HP
Fountain pump with seperatde electronic control	1*0.53HP
Air blower	
Control system	America Balboa System
Max power consumption	12400W 18.8A in 380V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED 2pcs
Jets total	44
Swim jet	3
Massage jets	5" 1 3.5" 2 pcs 1.5" 38pcs
Air jets	
Filter	1
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Fountain with LED	12
Water diverter with LED	2" 1 pc
Air regulator	1
Suctions	6
Gate valves	2
Drain Valve	1
Headrest pillows	2
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black





PROTEAM EUROPA - WINKY SPA

TECHNICAL SPECIFICATION

PRSPA 008580		Size 5750x2250mmx1300mm
Spa part		Swimming part
Seating capacity	3 Person	seating capacity 2
Lounge	1 Person	
Product Dimensions		5750mm x 2250 x 1300mm
Packing dimensions		5850mm x 2350 mm x 1400mm
Weight		750Kg / 9750kg
Water Capacity		2376 US Gallon / 9000 Liters
Shell colours		10 colors available
Shell material		US Aristech Acrylic
Jet pump	2*2HP	Swim pump 2*3
Circulation pump	1HP	Circulation pump 1HP
Air blower		1.5HP
Control system		America balboa control
Max power consumption	7975W 12.1A in 380V	8350W 12.7A in 380V/50Hz
Heater		3KW /220-240VAC
Underwater lighting		5" LED
Jets total		65
Massage jets		52
Air jets		13
Filter		1
Effective Filtration area		100Sq .ft
Ozone generator		50mg/h
Water diverter		2
Air regulator		1
Suctions		4
Gate valves		4
Drain Valve		1
Headrest pillows		3
Overflow outlet		1
Support frame		316 thickening stainless steel
Skirt		Brown / Grey / Black





PROTEAM EUROPA - ZAMIGO

TECHNICAL SPECIFICATION


PRSPA 008660	Size 2500x2200mmx950mm
Seating capacity	6 persons
Lounge	1 persons
Product Dimensions	2500mm x2200 x 950mm
Packing dimensions	2600mmx2300mmx1050mm
Weight -Dry/Filled	440KG/1880KG
Water Capacity	380US Gallon / 1440 Liters
Shell colours	10 colors available
Shell material	US Aristech Acrylic
Jet pump	3*2*2HP
Circulation pump	0.53HP
Control system	America balboa control
Max power consumption	8700W 39.5A in 220V/50Hz
Heater(America Balboa brand)	3KW /220-240VAC
Underwater lighting	5" LED
PVC jets total	60
Jets total	60
Filter	Top Mount
Effective Filtration area	100Sq .ft
Ozone generator	50mg/h
Water diverter	2
Air regulator	2
Suctions	4
Gate valves	8
Drain Valve	1
Headrest pillows	4
Overflow outlet	1
Support frame	316 thickening stainless steel
Skirt	Brown / Grey / Black



ACRYLIC SHELL COLORS



PR01



PR02



PR03



PR04




PR05



PR06



PR07



PR08




PR09




PR10




PR11



PR12



PR13




PR14

SKIRT COLORS



PTS01



PTS02




PTS03




PTS04



PTS05




PTS06



PTS07



PTS08



PTS09

OPTIONAL EQUIPMENTS



Step



Pop up Speaker



Water level LED



17" Screen



Fountain



Water fall



Cover



DVD



USA Balboa system







1800x1200x600

MODEL - PRBT 0030


Air pressure switch A
crylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1820x1250x650

MODEL - PRBT 0260



Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device
Without TV



1500x800x580

MODEL - PRBT 0120

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1700x960x630

MODEL - PRBT 0140

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device





1800x1200x630

MODEL - PRBT 0110


Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1500x1500x650

MODEL - PRBT 0150

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1700x850x650

MODEL - PRBT 0330

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1850x1200x600

MODEL - PRBT 0240

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump +Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device







1500x850x650 / 1700x850x690

MODEL - PRBT 0470


Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1700x850x620

MODEL - PRBT 0430

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1500x800x620 / 1700x850x620

MODEL - PRBT 0180

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1300x1300x630

MODEL - PRBT 0420

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device





1850x850x690

MODEL - PRBT 0450

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1560x1560x690

MODEL - PRBT 0270

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1800x900x750

MODEL - PRBT 0210

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1380x1380x760

MODEL - PRBT 0200

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device





SPA BATH TUB



1000x1000x650

MODEL - PRBT 0510

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1350x1350x650

MODEL - PRBT 0520


Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1850x1200x600

MODEL - PRBT 0040

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device



1550x1550x700

MODEL - PRBT 0530

Air pressure switch
Acrylic tub
Stainless steel bracket 1set
Under-water light
Massage pump plus Massage jets
Cold & Hot water switch valve
Five-piece suit faucet
Drainage device






AIR MASSAGE BED

Proteam Europa air massage bed made in acrylic, Thousands of subtle bubbles of aerobic water rushout from the back of the chair cushion, Enveloping human body forming a water film on the surface of the skin, Delicately stocking skin of the human body and walking holes on the skin restoring the tension on the elasticity of the skin and replenishing the water on the other hand, it can relieve the tension and eliminate.




MASSAGE AIR BED 1715 X 670

Code	Material	Size mm	Flow	Connection
00120071	Acrylic	1715x670	60m³/h	2"




MASSAGE AIR BED 1768 X 597

Code	Material	Size mm	Flow	Connection
00120072	Acrylic	1768x597	65m³/h	2"



MASSAGE AIR BED 1300 X 700

Code	Material	Size mm	Flow	Connection
00120073	Acrylic	1300x700	65m³/h	2"






STAINLESS STEEL AIR MASSAGE BED

Air bed massage made in stainless steel AISI 316 and the bed is comprised of stainless steel casing with air holes in the massage areas.

SINGLE AIR BED

- 60 Orifices
- Two Air Connections
- Air blower 1HP
- Connection 2 1/2"



Code	Description	Flow rate	Material
00120050	Single air bed	145m ³ /h	AISI 316 SS



DOUBLE AIR BED


- 120 Orifices
- Two Air Connections
- Air blower 1.5HP
- Connection 2 1/2"

Code	Description	Flow rate	Material
00120051	Double air bed	210m ³ /h	AISI 316 SS



AIR MESSAGE BED

Code	Material	Size mm	Flow rate
00120068	AISI 316 SS	1700x680	245m ³ /h



SPARKLING AIR BOARD


Air bubbler creates sheer bliss, at the touch of a button and it can be integrated in either the bottom of the pool or at the seating level and the user can select from various settings, depending on how intense they want the “champagne” feeling to be. Differently sized air blowers are available, for one or a series of air bubblers. Complete air board consist of wall fittings sparkling air board cover (for liner or concrete pool), Blower, Electric box, Wall fitting to pneumatic switch, suplimentary parts for pnematic switch & clamping frame (Only for use in liner pools)

FEATURES

- Air bubbler with air blower
- High grade stainless steel
- Flat form round corners 485x278x4
- For concrete and liner pools
- Power consumption 0,4 to 2,2kw
- Voltage 230 /400 Volt 3-phase
- Included Equipments




Code	Material	Diameter mm	Height mm
00120060	AISI 316 SS	280	100





S.S. AIR BED


- AISI 316
- Orifices Ø 2.5 mm
- In-take on the base
- Installation with base support
- 13021010 + 13021011/13/14+
- 13020014
- Installation "Build in"
- 13021010 + 13021012



Female conn. 2½" used with air blower of 145 m³/h flow



Code	Description	Length mm	Width mm
00120003	Air bed ss 316	1937	600




BASE SUPPORT SS AISI 316

Code	a	Kg	m³
00120004	150	2.05	0.022
00120005	200	2.21	0.030
00120006	450	3.27	0.067




ANCHOR

Code	Description	Material
00120007	Anchor 2½"	SS AISI 316



CONNECTION TO BUILT IN

Code	Description	Material
00120008	Connection 2½"	SS AISI 316




ARMREST

Code	Description	Material
00120009	Armrest	SS AISI 316




HEADREST

Code	Description	Material
00120010	Headrest	SS AISI 316



FRONT SUPPORT

Code	Description	Material
00120011	Front Support	SS AISI 316
00120012	Front Support	SS AISI 316



**MASSAGE PANELS AISI 316 STAINLESS STEEL****SQUARE BUBBLE PANEL**

Code	Material	Length x Width mm	Height mm	Flow
00120061	AISI 316 SS	400x400	70	105m ³ /h
00120062	AISI 316 SS	350x350	70	98m ³ /h

**CIRCLE BUBBLE PANEL**

Code	Material	Diameter mm	Height mm	Flow
00120063	AISI 316 SS	280	100	80m ³ /h
00120064	AISI 316 SS	350	80	90m ³ /h

**FOOT MASSAGE**

Code	Material	Diameter mm	Connection	Flow
00120065	AISI 316 SS	260x50	1"	70m ³ /h

**BUTT MASSAGE**

Code	Material	Diameter mm	Connection	Flow
00120066	AISI 316 SS	400x250	1.5"	80m ³ /h

**FLOAT SHOWER**

Code	Material	Connection	Flow
00120067	AISI 316 SS	1.5"	145m ³ /h






VICHY SHOWER BED MASSAGE NOZZLE

Massage nozzle Made in stainless steel

Code	Material	Size mm	Flow	Connection
00120069	AISI 316 SS	1800 x 1400	30m³/h	2"



STAINLESS STEEL MASSAGE NOZZLES

Code	Material	Size mm	Flow	Connection
00120070	AISI 316 SS	985 x 220	20m³/h	2"




POOL BIKE

BENEFITS

- An excellent tool for muscular exercise without suffering from joint pressure
- High calorie construction per hour, compared to other cardiovascular activities
- The isotonic movement performed under the water improves the muscular exercise

TECHNICAL FEATURES

- Aquatic bike to be used exclusively in pools (Concrete and Liner)
- Manufactured in stainless steel A-316L and 216Ti with electropolished treatment.
- Aquatic pedal with progressive resistance/footware is not needed.
- Completely adaptable structure with double security closing.



Code	Desc	Kg	M ³
00120000	Training	21.0	0.12
00120001	Veracruz	20.0	0.12

ORBITAL

BENEFITS



- The first elliptical training machine with variable resistance built for use in pools (Elliptical movement is the closest to usual and everyday)
- Exercise like walking, climbing stairs and slopes, reaching
- Objects... resulting in a very comfortable and natural workout.
- Specially indicated for aquatic fitness and seniors
- Suitable for weight loss, physiotherapy and people with arthritis, rheumatic diseases,
- Varicose veins, cellulite and in general for fitness conditioning.

TECHNICAL FEATURES

- Reinforced construction for intensive or professional use in AISI 316L stainless steel with electro polished protective treatment. Large stainless steel watertight bearings on central pealier.
- The only system that guarantees a perfect rotation.
- Adjustable EVA fungicide rubber pedal which adapts to any foot size and is extremely comfortable to use barefoot.



Code	Desc	Kg	M ³
00120002	Orbital	33.0	0.0227





The AquaJogg's great fluidity of movement enables you to walk or run. The gentle 13°C slope puts a moderate load on the muscles, ideal for both physical preparation and rehabilitation. Grab bar that offers safe and excellent stability.

COMPATIBLE WITH

- Thermal water
- Sea water
- Chlorinated water

STAMINA

Cardiovascular exercising for gently getting back into shape

VITALITY

- Gentle treatment of all muscle groups


BALANCE

- Stimulation of many muscle receptors



TECHNICAL SPECIFICATION

- Material 100% stainless steel AISI 316L
- Finish brushed Steel with anti-corrosion treatment
- Mechanism band foldable treadmill
- Running surface carpet L.118 x 38 cm, tilt 13%
- Wheels ball bearing on white wheels anti-scratch, easy movement
- Coating suitable for all coatings (liner, PVC, tile, polyester shell ...)
- Dimensions 67x135x128cm
- Dimensions when closed 56x62x128cm
- Weight 32 kgs
- Recommended water depth 1.00-1.50m
- Warranty Metal parts 3 years, wearing parts 6 months





SPA FITTINGS AND ACCESSORIES

Made of unplasticised PVC for perfect glueing to PVC pipes. Its unique design permits for a combination of air and water massage by way of a venturi system. Recommended flow per nozzle for the purpose of sizing of the pump to be considered as 4.5 m³/h for optimum results.

ADJUSTABLE JET - 1.5" X 1.5"

Connection size for water massage line and air venturi massage line 1.5" each with flowrate 2.25 m³/h and pressure 0.8 bar.

Code	Description	Connection	Flow Rate
00120013	Massage jet white ABS	1 1/2" X 1 1/2"	4.5m³/h



ADJUSTABLE JET - 1.5" X 1"

Connection size for water massage line 1.5" and air venturi massage line 1.5" each with flowrate 2.2 m³/h and air flow pressure 0.8 bar.

Code	Description	Connection	Flow Rate
00120014	Massage jet white ABS	1 1/2" X 1"	3.5m³/h



SINGLE JET

Connection size for water massage line 1" and air venturi massage line 1" each with flowrate 1.5 m³/h and pressure 0.8 bar.

Code	Description	Connection	Flow Rate
00120015	Massage jet white ABS	1"	1.5m³/h



ADJUSTABLE JET 32 X 32

Connection size for water massage line 32mm and air venturi massage line 32mm. Made of High Grade PVC for perfect glueing to PVC Pipes.

Code	Description	Connection	Flow Rate
00120016	Massage jet white ABS	32mm	1.5m³/h



ADJUSTABLE JET 32 X 25

Designed to be mounted in acrylic SPA to attach to pipes 30mm and 20mm. Connection size for water massage line 32mm and air venturi massage line. Ø25mm. Made of High Grade PVC.

Code	Description	Connection	Flow Rate
00120017	Massage jet with SS face plate	32x25	4m³/h





MESSAGE JET WITH SS FACE PLATE

Made of unplasticised PVC for perfect glueing to PVC pipes. Its unique design permits for a combination of air and water massage by way of a venturi system. Recommended flow per nozzle for the purpose of sizing of the pump to be considered as 4.5 m³/h for optimum results.



ADJUSTABLE JET - 1.5" x 1.5"

Connection size for water massage line and air venturi massage line 50mm each with flowrate 2.25 m³/h and pressure 0.8 atm.

Code	Description	Connection	Flow Rate
00120074	Massage jet with SS face plate	1 1/2" x 1 1/2"	4.5m³/h



SWIM JET

Connection size for water massage line 1 1/2" mm and air venturi massage line 1 1/2" mm each with flowrate 15m³/h and air flow pressure 0.8 bar

Code	Description	Connection	Flow Rate
00120075	Massage jet white ABS	1 1/2"	15m³/h



ADJUSTABLE JET 32 X 32

Connection size for water massage line 32mm and air venturi massage line 32mm. Made of High Grade PVC for perfect glueing to PVC Pipes.

Code	Description	Connection	Flow Rate
00120076	Massage jet with SS face plate	32mm	1.5m³/h



SPA DRAIN

Made of white PVC adaptor union for glueing to PVC pipe can be used for concrete and liner pool. Connection 2" and maximum flow 12m³/h designed for surface suction velocity not exceeding 05m/s.

Code	Description	Connection	Flow Rate
00120077	Spa drain white PVC	2"	1.5m³/h
00120078	Spa drain with SS face plate	2"	1.5m³/h



SUPER FLOW JET

Connection size for water massage line 1 1/2" mm and air venturi massage line 1 1/2" mm each with flowrate 15m³/h and air flow pressure 0.8 bar

Code	Description	Connection	Flow Rate
00120079	Super flow Massage jet white ABS	1 1/2"	15m³/h





ADJUSTABLE AIR CONTROLLER

Controls air to Venturi system with 1" orifice for air regulation.

Code	Description	Connection	m ³
00120018	Air controller ABS white	1"	0.0093
00120080	Air controller Plastic Gray	1"	0.0093
00120081	Air controller SS face plate	1"	0.0093



PNEUMATIC PUSH BUTTON

Pneumatic push button using for start and end massage functions.

Code	Description	Connection	m ³
00120019	Push button ABS white	1"	0.0093
00120082	Push button chrome plated	1"	0.0093



PNEUMATIC push button ss

Pneumatic push button using for start and end massage functions.

Code	Description	Connection	m ³
00120083	Push button SS flat face plate	1"	0.0093
00120084	Push button SS face plate	1"	0.0093



PNEUMATIC SWITCH

Pneumatic switch using for starting and stopping of massage and hydromassage functions.

Code	Description	Connection	m ³
00120021	Starting and stopping massage	1"	0.0093



BLOWER NOZZLE

For distribution into the SPA by means of the blowers. White plastic front panel with 3/4" connection.

Code	Description	Connection	m ³
00120026	White plastic front panel	3/4"	0.0093





FLEXIBLE HOSE

Flexible PVC pressure hose with solvent connection to 25, 32, 50 and 63 mm. All available in 15 meter roll and available in white gray color.



Code	Description	Packing
00120028	Flexible hose 25mm dia	20m Roll
00120029	Flexible hose 32mm dia	20m Roll
00120030	Flexible hose 50mm dia	15m Roll
00120031	Flexible hose 63mm dia	15m Roll



CLEAR FLEXIBLE TUBE

Clear Flexible tube using for connecting pneumatic switch to push button

Code	Description	Packing
00120085	Flexible tube 3mm dia	50m Roll



ELECTRIC FUNCTION TOUCH PANEL

Electric function touch panel button is fitted on the deck of the spa and this connected to the box for users to start and stop massage functions. Protection IP 67 cable length 2 m. Max power 12V and 64 mm Dia.

Code	Description	Cable Length
00120086	1 On/Off function touch panel 39mm Dia	2m
00120087	2 On/Off function touch panel 64mm Dia	2m
00120088	3 On/Off function touch panel 64mm Dia	2m

ELECTRIC CONTROL BOX

Electric control box available three function with connection for water level control automatic dry out of air system possible. Power 230V / 50Hz / 16 A.




Code	Description	Power
00120089	1 On/Off function with water level control	230V / 50Hz / 16 A.
00120090	2 On/Off function with water level control auto dry	230V / 50Hz / 16 A.
00120091	3 On/Off function touch panel 64mm Dia	230V / 50Hz / 16 A.



AIR BLOWER

PROTEAM EUROPA Series of Ring Blower is designed to meet the most critical application requirements and features an impeller and casing manufactured of aluminium alloy for maximum strength, reduced weight and increased corrosion resistance. The blower and motor are constructed as an unit for mechanical simplicity and maximum structural integrity. The 100 -120/200 - 240 V single phase and the 200 - 240/280 - 440 V three phase motors at 50/60 Hz for nonstop operation, are manufactured according to the IEC Standards and come with an IP54 protection and an F class insulation. The pumps can be installed both horizontally as well as vertically, and as there is no contact between the static and movable blower parts, it does not require any lubrication or maintenance, neither is there any wear and tear. All units have oil-seal between impeller and bearing as well as a double shielded bearing to reduce the possibility of foreign material influx and preclude air contamination.



Code	Power	Phase	Max Blowing Pressure (mbar)	Max Flow (m ³ /h)	Pkg. Unit	Standard wt. (Kg)	m ³
00120032	0.37 kw	1	150	80	1	12.0	0.032
00120033	0.37 kw	3	150	80	1	12.0	0.032
00120034	0.55 kw	1	160	124	1	16.0	0.040
00120035	0.55 kw	3	160	124	1	16.0	0.040
00120036	0.75 kw	1	190	144	1	23.0	0.061
00120037	0.75 kw	3	190	144	1	23.0	0.061
00120038	1.10kw	1	200	216	1	31.0	0.071
00120039	1.10kw	3	200	216	1	31.0	0.071
00120040	1.50kw	1	250	216	1	36.0	0.078
00120041	1.50kw	3	250	216	1	36.0	0.078
00120042	2.20kw	3	320	312	1	41.0	0.096
00120043	3.00kw	3	330	320	1	55.0	0.106
00120044	4.00kw	3	380	410	1	60.0	0.217
00120045	5.50kw	3	420	552	1	70.0	0.269
00120046	7.50kw	3	450	552	1	82.0	0.388